

Adams, C. F., Foy, R. J., Johnson, D. S., & Coyle, K. O. (2008). Seasonal changes in pelagic fish biomass around the Chiswell Island Steller sea lion rookery in 2003. *Fisheries Research*, 93, 179-185.

Allen, P. C. (2009). *Seasonal oscillations in teh mass and food intake of Steller sea lions. Graduate Studies*. The University of British Columbia, Vancouver, B.C.

Atkinson, S., Calkins, D., Burkanov, V., Castellini, M., Hennen, D., & Inglis, S. (2008). Impact of changing diet regimes on Steller sea lion body condition. *Marine Mammal Science*, 24(2), 279-289.

Atkinson, S., DeMaster, D. P., & Calkins, D. G. (2008). Anthropogenic causes of the western Steller sea lion *Eumetopias jubatus* population decline and their threat to recovery. *Mammal Review*, 38(1), 1-18.

Augé, A. A., Chilvers, B. L., Moore, A. B., & Davis, L. S. (2011). Foraging behaviour indicates marginal marine habitat for New Zealand sea lions: remnant versus recolonising populations. *Marine Ecology Progress Series*, 432, 247-256.

Benson, E. (2012). Endangered science: The regulation of research by the U.S. Marine Mammal Protection and Endangered Species Acts. *Historical Studies in the Natural Sciences*, 42(1), 30-61. doi:10.1525/hsns.2012.42.1.030

Berman, M., Gregr, E. J., Ishimura, G., Coatta, R., Flinn, R., Sumaila, U. R., & Trites, A. (2008). Economic valuation of critical habitat closures. *Fisheries Centre Resaerch Reports*, 16(8).

Blundell, G. M., Womble, J. N., Pendleton, G. W., Karpovich, S. A., Gende, S. M., & Herreman, J. K. (2011). Use of glacieal and terrestrial habitats by harbor seals in Glacier Bay, Alaska: costs and benefits. *Marine Ecology Progress Series*, 429, 277-290.

Boor, G. K. H. (2010). A poisson bayesian analysis of opportunistic Steller sea lion at-sea observations from the Platform of Opportunity dataset.

Bowles, E. (2009). *Determining the relative amounts of prey in Steller sea lion (*Eumetopias jubatus*) diet using real-time PCR*. University of British Columbia, Vancouver, B.C.

Bowles, E., Schulte, P. M., Tollit, D. J., B.E.Dagle, & Trites, A. W. (2011). Proportion of prey consumed can be determined from faecal DNA using real-time PCR. *Molecular Ecology REsources*, 11, 530-540. doi:10.1111/j.1755-0998.2010.02974.x

Boyd, I. L. (2010). Assessing the effectivenss of conservation measures: resolving the “wicked” problem of the Steller sea lion. *Biological Conservation*, 143(7), 1664-1674.

Branch, T. A., Jensen, O. P., Ricard, D., Ye, Y., & Hilborn, R. (2011). Contrasting global trends in marine fishery status obtained from catches and from stock assessments. *Conservation Biology*, 25(4), 777-786.

- Breed, G. A., Bowen, W. D., & Leonard, M. L. (2011). Development of foraging strategies with age in a long-lived marine predator. *Marine Ecology Progress Series*, 431, 167-179.
- Bryant, B. C. (2009). Adapting to uncertainty: Law, science, and management in the Steller sea lion controversy. *Stanford Environmental Law Journal*, 28, 171-211.
- Burdin, A. M., Hennen, D. R., Calkins, D. G., Burkanov, V. V., Nikulin, V. S., & Lisitsina, T. U. (2009). Can we see a cohort effect on survival of Steller sea lions (*Eumetopias jubatus*) at Kozlova Cape rookery (eastern Kamchatka, Russia)? *Marine Mammal Science*, 25(4), 888-907.
- Burkanov, V., Gurarie, E., Altukhov, A., Mamaev, E., Peryakov, P., Trukhin, A., Waite, J., et al. (2011). Environmental and biological factors influencing maternal attendance patterns of Steller sea lions (*Eumetopias jubatus*) in Russia. *Journal of Mammalogy*, 92(2), 352-366.
- Calkins, D. (2008). Fixed gear - marine mammal interactions study. Juneau, AK: NOAA Fisheries Operations, Management, and Information Division.
- Carrasco, S. E., Burek, K. A., Beckmen, K. B., Oaks, J. L., Davis, M. A., Baker, K. N. K., & Mazet, J. A. K. (2011). Aerobic oral and rectal bacteria of free-ranging Steller sea lion pups and juveniles (*Eumetopias jubatus*) in Alaska. *Journal of Wildlife Diseases*, 47(4), 807-820.
- Citta, J. J., Quakenbush, L. T., George, J. C., Small, R. J., Heide-jørgensen, M. P., Brower, H., Adams, B., et al. (2012). Winter Movements of Bowhead Whales (*Balaena mysticetus*) in the Bering Sea. *Arctic*, 65(1), 13-34.
- Conners, M. E., & Munro, P. (2008). Effects of commercial fishing on local abundance of Pacific cod (*Gadus macrocephalus*) in the Bering Sea. *Fishery Bulletin*, 106, 281-292.
- Cook, J., Leaper, R., Wade, P., Lavigne, D., & Taylor, B. (2012). Management rules for marine mammal populations: A response to Lonegran. *Marine Policy*, 36, 389-392. doi:10.1016/j.marpol.2011.06.009
- Dahlheim, M. E., Schulman-Janiger, A., Black, N., Ternullo, R., Ellifrit, D., & III, K. C. B. (2008). Eastern temperate North Pacific offshore killer whales (*Orcinus orca*): occurrence, movements, and insights into feeding ecology. *Marine Mammal Science*, 24(3), 719-729.
- Dahlheim, M. E., & White, P. A. (2010). Ecological aspects of transient killer whales *Orcinus orca* as predators in southeastern Alaska. *Wildlife Biology*, 16(3), 308-322. doi:10.2981/09-075
- DeMaster, D. (2009). Aerial Survey of Steller Sea Lions in Alaska, June-July 2009 and Update on the Status of the Western Stock in Alaska.
- Duncan, C., Kersh, G. J., Spraker, T., Patyk, K. A., Fitzpatrick, K. A., MAssung, R. F., & Gelatt, T. (2012). *Coxiella burnetti* in northern fur seals (*Callorhinus ursinus*) placentas from St.

Paul Island, Alaska. *Vector-Borne and Zoonotic Diseases*, 12(3), 192-195.
doi:10.1089/vbz.2011.0715

Durban, J., Ellifrit, D., Dahlheim, M., Waite, J., Matkin, C., Barrett-Lennard, L., Ellis, G., et al. (2010). Photographic mark-recapture analysis of clustered mammal-eating killer whales around the Aleutian Islands and Gulf of Alaska. *Marine Biology*, 157(7), 1591-1604.

Durban, J., Ellifrit, D., Dahlheim, M., Waite, J., Matkin, C., Barret-Lennard, L., Ellis, G., et al. (2010). Photographic mark-recapture analysis of clustered mammal-eating killer whales around the Aleutian Islands and Gulf of Alaska. *Marine Biology*, 157(7), 1591-1604.

Durner, G. M., Whiteman, J. P., Harlow, H. J., Amstrup, S. C., Regehr, E. V., & Ben-David, M. (2011). Consequences of long-distance swimming and travel over deep-water pack ice for a female polar bear during a year of extreme sea ice retreat. *Polar Biology*, 34, 975-984.

Estes, J. A., Doak, D. F., Springer, A. M., Williams, T. M., & Vliet, G. B. van. (2009). Trend data do support the sequential nature of pinniped and sea otter declines in the North Pacific Ocean, but does it really matter? *Marine Mammal Science*, 25(3), 748-754.

Fadely, B., Sterling, J., Fritz, L., Lander, M., Rehberg, M., Johnson, D., Rea, L., et al. (2008). Estimating Capture and Handling Mortality Risks to Endangered Juvenile Steller sea lions (*Eumetopias jubatus*).

Ferguson, S. H., Kingsley, M. C. S., & Igdon, J. W. (2012). Killer whale (*Orcinus orca*) predation in a multi-prey system. *Population Ecology*, 54(1), 31-41. doi:10.1007/s10144-011-0284-3

Frid, A., Burns, J., Baker, G. G., & Thorne, R. E. (2009). Predicting synergistic effects of resources and predators on foraging decisions by juvenile Steller sea lions. *Oecologia*, 158, 775-786.

Friday, N. a., Waite, J. M., Zerbini, A. N., & Moore, S. E. (2012). Cetacean distribution and abundance in relation to oceanographic domains on the eastern Bering Sea shelf: 1999–2004. *Deep Sea Research Part II: Topical Studies in Oceanography*, 65-70, 260-272. Elsevier. doi:10.1016/j.dsr2.2012.02.006

Fritz, L., Gelatt, T., Bentson, J., & DeMaster, D. (2009). Survey of adult and juvenile Steller sea lions, June-July 2008: response to Council's 19 December 2008 letter to Robert D. Mecum, Acting Administrator, NMFS Alaska Region.

Fritz, L., Kunisch, E., Chumbley, K., & Johnson, D. (2008). Effects of Research Disturbance on Behavior and Attendance of Steller Sea Lions (*Eumetopias jubatus*) at a Rookery in Alaska.

Fritz, L., Lynn, M., Kunisch, E., & Sweeney, K. (2008). *Aerial, Ship and Land-Based Surveys of Steller Sea Lions (Eumetopias jubatus) in Alaska, June and July 2005 - 2007*. NOAA

Technical Memorandum (p. 70). Alaska Fisheries Science Center National Marine Mammal Laboratory.

Fritz, L., Sweeney, K., Gudmundson, C., & Gelatt, T. (2008). Survey of Adult and Juvenile Steller Sea Lions, June-July 2008.

Gelatt, T. S., & Rehberg, M. J. (n.d.). *Final Report: Coastal bathymetry within the range of Steller sea lions in Alaska. Steller Sea Lion Research Initiative.*

Ghai, R., & Insley, S. J. (2010). Probable effects of resident and transient killer whales (*Orcinus orca*) on the activity levels of Steller sea lions (*Eumetopias jubatus*) at Carmanah Point, British Columbia. *Marine Mammal Science*, 274. doi:10.1111/j.1748-7692.2010.00424.x

Ghai, R., & Insley, S. J. (2011). Probabl effects of resident and transient killer whales (*Orcinus orca*) on the activity levels of Steller sea lions (*Eumetopias jubatus*) at Carmanah Point, British Columbia. *Marine Mammal Science*, 27(3), E227-E233. doi:10.1111/j.1748-7692.2010.00424.x

Gregr, E. J., & Coatta, R. (2008). Environmental data for the eastern North Pacific and Bering Sea. *Fisheries Centre Resaerch Reports*, 16(6).

Hastings, K. K., Gelatt, T. S., & King, J. C. (2009). Postbranding survival of Steller sea lion pups at Lowrie Island in Southeast Alaska. *Journal of Wildlife Management*, 73(7), 1040-1051.

Hastings, K. K., Jemison, L. A., Gelatt, T. S., Laake, J. L., Pendleton, G. W., King, J. C., Trites, A. W., et al. (2011). Cohort effects and spatial variation in age-specific surviva of Steller sea lions from southeastern Alaska. *Ecosphere*, 2(10), 111. doi:10.1890/ES11-00215.1

Herman, D. P., Matkin, C. O., Ylitalo, G. M., Durban, J. W., Hanson, M. B., Dahlheim, M. E., Straley, J. M., et al. (2008). Assessing age distributions of killer whale *Orcinus orca* populations from the composition of endogenous fatty acids in their outer blubber layers. *Marine Ecology Progress Series*, 372, 289-302.

Hoffman, J. I., Dasmahapatra, K. K., Amos, W., Phillips, C. D., Gelatt, T. S., & Bickham, J. W. (2009). Contrasting patterns of genetic diversity at three different genetic markers in a marine mammal population. *Molecular Ecology*, 18(14), 2961-2978.

Holmes, A. L., Wise, S. S., Goertz, C. E. C., Dunn, J. L., Gulland, F. M. D., Gelatt, T., Beckmen, K. B., et al. (2008). Metal tissue levels in Steller sea lion (*Eumetopias jubatus*) pups. *Marine Pollution Bulletin*, 56, 1416-1421.

Horning, M., Haulena, M., Tuomi, P. A., & Mellish, J. E. (2008). Intraperitoneal implantation of life-long telemetry transmitters in otariids. *BMC Veterinary Research*, 4, 51. doi:10.1186/1746-6148-4-51

- Horning, M., & Melish, J. E. (2010). *Satellite-linked life history transmitters in Steller sea lions: assessing the effects of health status, foraging ability, environmental variability and predation on juvenile survival nad population trends*. (Vol. Jan. 2010 , p. 25). Newport, OR: Oregon State University.
- Horning, M., & Mellish, J. E. (2009). Spatially explicit detection of predation on individual pinnipeds from implanted post-mortem satellite data transmitters. *Endangered Species Research*. doi:10.3354/esr00220
- Horning, M., & Mellish, J.-A. E. (2012). Predation on an upper trophic marine predator, the Steller sea lion: Evaluating high juvenile mortality in a density dependent conceptual framework. *PloS One*, 7(1), e30173. doi:10.1371/journal.pone.0030173
- Hui, T. C. Y. (2011). *Steller sea lions and fisheries: Competition at sea?* University of British Columbia, Vancouver, BC.
- Ianelli, J, Lowe, S., Thompson, G., & Logerwell, L. (2010). Aleutian islands trawl survey biomass summary.
- Ianelli, Jim, Lowe, S., Thompson, G., & Logerwell, L. (2010). Projections of Atka mackerel and Pacific cod catch reductions.
- Isono, T., Burkanov, V. N., Ueda, N., Hattori, K., & Yamamura, O. (2010). Resightings of branded Steller sea lions at wintering haul-out sites in Hokkaido, Japan 2003-2006. *Marine Mammal Science*, 26(3), 698-706.
- Isono, T., Burkanov, V. N., Ueda, N., Hattori, K., & Yamamura, O. (2010). Resightings of branded Steller sea lions at wintering haul-out sites in Hokkaido, Japan 2003-2006. *Marine Mammal Science*, 26(3), 698-706. doi:10.1111/j.1748-7692.2009.00367.x
- Janout, M. A., T.J.Weingartner, Okkonen, S. R., Whitledge, T. E., & Musgrave, D. L. (2009). Some characteristics of Yakutat eddies propagating along the continental slope of the northern Gulf of Alaska. *Deep-Sea Research Part II*, 56, 2444-2459.
- Janout, M. A., Weingartner, T. J., Royer, T. C., & Danielson, S. L. (2010). On the nature of winter cooling and the recent temperature shift on the northern Gulf of Alaska shelf. *Journal of Geophysical Research*, 115(C05023). doi:10.1029/2009JC005774
- Jay, C. V., Marcot, B. G., & Douglas, D. C. (2011). Projected status of the Pacific walrus (*Odobenus rosmarus divergens*) in the twenty-first century. *Polar Biology*, 34, 1065-1084.
- Jeanniard du Dot, T., Rosen, D. A. S., Richmond, J. P., Kitaysky, A. S., Zinn, S. A., & Trites, A. W. (2009). Changes in glucocorticoids, IGF-I and thyroid hormones as indicators of nutritional stress and subsequent refeeding in Steller sea lions (*Eumetopias jubatus*). *Comparative Biochemistry and Physiology, Part A*, 152, 524-534.

- Jeanniard du Dot, T., Rosen, D. A. S., & Trites, A. W. (2009). Energy reallocation during and after periods of nutritional stress in Steller sea lions: low-quality diet reduces capacity for physiological adjustment. *Physiological and Biochemical Zoology*, 85(2), 516-530.
- Johnson, D. S. (2010). An Analysis of Steller Sea Lion Population Trends in the Western and Asian Stocks in the 1990s and 2000s.
- Kaplan, C. C., White, G. C., & Noon, B. R. (2008). Neonatal survival of Steller sea lions (*Eumetopias jubatus*). *Marine Mammal Science*, 24(3), 443-461.
- Kariya, T., Igarashi, M., Wada, K., Burkanov, V. N., Koyama, S., Hoshino, H., & Oshida, T. (2009). Lack of sequence variation of Y chromosome-linked loci in Steller's sea lions (*Eumetopias jubatus*) from Iony Island and the Kuril Islands. *Mammal Study*, 34, 33-36.
- Kariya, T., Igarashi, M., Wada, K., V.N., B., Koyama, S., Hoshinl, H., & Oshida, T. (2008). Mitochondrial cytochrome b gene sequence diversity among Steller's sea lion rookeries in the Kuril Islands and the Sea of Okhotsk. *Mammal Study*, 33, 125-129.
- Kaschner, K., Tittensor, D. P., REady, J., Gerrodette, T., & Worm, B. (2011). Current and future patterns of global marine mammal biodiversity. *PloS One*, 6(5), e19653.
- Kersh, G. J., Lambourn, D. M., Raverty, S. A., Fitzpatrick, K. A., Self, J. S., Akmajian, A. M., Jeffries, S. J., et al. (2012). *Coxiella burnetii* infection of marine mammals in the Pacific Northwest, 1997 - 2010. *Journal of Wildlife Diseases*, 48(1), 202-206.
- Kersh, G. J., Lambourn, D. M., Self, J. S., Akmajian, A. M., Stanton, J. B., Baszler, T. V., Raverty, S. A., et al. (2010). *Coxiella burnetii* infection of a Steller sea lion (*Eumetopias jubatus*) found in Washington State. *Journal of Clinical Microbiology*, 48(9), 3428.
- Kovacs, K. M., Aguilar, A., Aurioles, D., Burkanov, V., Campagna, C., Gales, N., Gelatt, T., et al. (2011). Global threats to pinnipeds. *Marine Mammal Science*, In Press.
- Kruse, G. H., & Huntington, H. P. (2009). *Local and traditional knowledge of the nature and extent of interactions between fishermen and Steller sea lions in the Gulf of Alaska and Bering Sea. Pollocok Conservation Cooperative Research Reports* (p. 30).
- Kuker, K., & Barrett-Lennard, L. (2010). A re-evaluation fo the role of killer whales *Orcinus orca* in a population decline of sea otters *Enhydra lutris* in the Aleutian Islands and a review of alternative hypotheses. *Mammal Review*, 40(2), 103-124.
- Lander, M. E., Johnson, D. S., Sterling, J. T., Gelatt, T. S., & Fadely, B. S. (2011). *Diving behaviors and movements of juvenile Steller sea lions (*Eumetopias jubatus*) captured in the Central Aleutian Islands, April 2005. NOAA Technical Memorandum* (p. 41). Seattle, WA: US DOC, NOAA, NMFS, AFSC.

Lander, M. E., Loughlin, T. R., Logsdon, M. G., & VanBlaricom, G. R. (2010). Foraging effort of juvenile Steller sea lions *Eumetopias jubatus* with respect to heterogeneity of sea surface temperature. *Endangered Species Research*, 10, 145-158.

Lander, M. E., Loughlin, T. R., Logsdon, M. G., VanBlaricom, G. R., & Fadely, B. S. (2010). Foraging effort of juvenile Steller sea lions *Eumetopias jubatus* with respect to heterogeneity of sea surface temperature. *Endangered Species Research*, 10, 145-158.
doi:10.3354/esr00260

Lander, M. E., Loughlin, T. R., Logsdon, M. G., VanBlaricom, G. R., Fadely, B. S., & Fritz, L. W. (2009). Regional differences in the spatial and temporal heterogeneity of oceanographic habitat used by Steller sea lions. *Ecological Applications*, 19(6), 1645-1659.

Lander, M., Logsdon, M. L., Loughlin, T. R., & VanBlaricom, G. R. (2011). Spatial patterns and scaling behaviors of Steller sea lion (*Eumetopias jubatus*) distributions and their environment. *Journal of Theoretical Biology*, 274, 74-83.

Lavery, T. J., Roudnew, B., Gill, P., Seymour, J., Seuront, L., Johnson, G., Mitchell, J. G., et al. (2010). Iron defecation by sperm whales stimulates carbon export in the Southern Ocean. *Proceedings. Biological sciences / The Royal Society*, 277(1699), 3527-31.
doi:10.1098/rspb.2010.0863

Loggerwell, E. A., Barbeaux, S. J., & Fritz, L. W. (2009). *A cooperative pollock acoustic biomass survey for management of fisheries interactions with Steller sea lions in the Aleutian Islands* (p. 106).

Lonergan, M. (2011). Potential biological removal and other currently used management tools for marine mammal populations: a comparison. *Marine Policy*, 35, 584-589.
doi:10.1016/j.marpol.2011.01.020

Lonergan, M. (2012). The targets of management rules for marine mammal populations require justification: A reply to Cooke et al. (2012). *Marine Policy*.
doi:10.1016/j.marpol.2012.02.010

Lowther, A. D., Harcourt, R. G., Hamer, D. J., & Goldsworthy, S. D. (2011). Creatures of habit: foraging habitat fidelity of adult female Australian sea lions. *Marine Ecology Progress Series*, 443, 249-263. doi:10.3354/meps09392

Lydersen, C., Freitas, C., Wiig, Ø., Bachmann, L., Heide-jørgensen, M. P., Swift, R., & Kovacs, K. M. (2012). Lost Highway Not Forgotten : Satellite Tracking of a Bowhead Whale (*Balaena mysticetus*) from the Critically Endangered Spitsbergen Stock, 65(1), 76-86.

Maniscalco, J. M., Calkins, D. G., Parker, P., & Atkinson, S. (2008). Causes and extent of natural mortality among Steller sea lion (*Eumetopias jubatus*) pups. *Aquatic Mammals*, 34(3), 277-287.

Maniscalco, J. M., Hennen, D., & Parker, P. (2009). *Evidence for high natality rates among Steller sea lions in the Gulf of Alaska*. Alaska SeaLife Center Technical Reports (p. 28). Seward, AK.

Maniscalco, J. M., & Parker, P. (2009). A case of twinning and the care of two offspring of different age in Steller sea lions. *Marine Mammal Science*, 25(1), 203-213.

Maniscalco, J. M., Springer, A. M., & Parker, P. (2010). High natality rates of endangered Steller sea lions in Kenai Fjords, Alaska and perceptions of population status in the Gulf of Alaska. *PloS One*, 5(4), e10076. doi:10.1371/journal.pone.0010076

Maschner, H. D. G., Trites, A. W., Reedy-Maschner, K. L., Betts, M., Tews, A. M., & Livingston, M. (2010). Indigenous, ethnohistoric and archaeological perspectives on the decline of Steller sea lions (*Eumetopias jubatus*) in Alaska.

Mashburn, K. L., & S. Atkinson. (2008). Variability in leptin and adrenal response in juvenile Steller sea lions (*Eumetopias jubatus*) to adrenocorticotrophic hormone (ACTH) in different seasons. *General and Comparative Endocrinology*, 155(2), 352-358.

Mathews, E. A., & Adkison, M. D. (2010). The role of Steller sea lions in a large population decline of harbor seals. *Marine Mammal Science*, 26(4), 803-836.

Mathews, E. A., Womble, J. N., Pendleton, G. W., Jemison, L. A., Maniscalco, J. M., & Streveler, G. (2011). Population growth and colonization of Steller sea lions in the Glacier Bay region of southeastern Alaska: 1970s-2009. *Marine Mammal Science*, In Press.

Matthews, E. A., Womble, J. N., Pendleton, G. W., Jemison, L. A., Maniscalco, J. M., & Streveler, G. (2011). Population growth and colonization of Steller sea lions in the Glacier Bay region of Southeast Alaska: 1970s - 2009. *Marine Mammal Science*, 27(4), 852-880. doi:10.1111/j.1748-7692.2010.00455.x

McBeath, J. (2012). Science and politics in the conservation of biodiversity: The Steller sea lion case. *Environmental Development*, 1(1), 107-121. Elsevier.
doi:10.1016/j.envdev.2011.12.009

McCay, B. J., & Jones, P. J. S. (2011). Marine Protected Areas and the Governance of Marine Ecosystems and Fisheries. *Conservation Biology*, 25(6), 1130-1133.

McClenahan, S. D. (2008). *Characterization of two novel marine calciviruses: molecular and serological approaches for improved diagnostics*. University of Florida.

McClenahan, S. D., Burek, K. A., Beckmen, K. B., Knowles, N. J., Neill, J. D., & Romero, C. H. (2008). Genomic characterization of novel marine vesiviruses from Steller sea lions (*Eumetopias jubatus*) from Alaska. *Virus Research*, 138, 26-35.

McCormick-Ray, J., Warwick, R. M., & Ray, G. C. (2011). Benthic macrofaunal compositional variations in the northern Bering Sea. *Marine Biology*, 158, 1365-1376.

McDermott, S. F., Logerwell, E., Ortiz, I., & Haist, V. (2009). *Fishery interaction and availability of Atka mackerel prey for Steller sea lions: Results from a local abundance and movement study of Atka mackerel*. ICES.

McKenzie, J., & Wynne, K. M. (2008). Spatial and temporal variation in the diet of Steller sea lions in the Kodiak Archipelago, 1999 to 2005. *Marine Ecology Progress Series*, 360, 265-283.

Meynier, L., Morel, P. C. H., Chilvers, B. L., Mackenzie, D. D. S., & Duignan, P. J. (2010). Quantitative fatty acid signature analysis on New Zealand sea lions: model sensitivity and diet estimates. *Journal of Mammalogy*, 91(6), 1484-1495.

Mizroch, S. A., Rice, D. W., Zwiefelhofer, D., Waite, J., & Perryman, W. L. (2009). Distribution and movements of fin whales in the North Pacific Ocean. *Mammal Review*, 39(3), 193-227.

Moore, M. J., & van der Hoop, J. M. (2012). The Painful Side of Trap and Fixed Net Fisheries: Chronic Entanglement of Large Whales. *Journal of Marine Biology*, 2012, 1-4.
doi:10.1155/2012/230653

Munger, L. M., Wiggins, S. W., & Hildebrand, J. A. (2011). North Pacific right whale up-call source levels and propagation distance on the southeastern Bering Sea shelf. *Journal of the Acoustical Society of America*, 129(6), 4047-4054.

Myers, M. J. (2008). *Organochlorines in Steller sea lions (Eumetopias jubatus)*. University of Alaska Fairbanks, Fairbanks, AK.

Myers, M. J., & Atkinson, S. (2011). Temporal variability in organochlorine contamination in blood and blubber of captive Steller sea lions (Eumetopias jubatus). *Marine Mammal Science, In Press*.

Myers, M. J., Ylitalo, G. M., Krahn, M. M., Boyd, D., Calkins, D., Burkanov, V., & Atkinson, S. (2008). Organochlorine contaminants in endangered Steller sea lion pups (Eumetopias jubatus) from western Alaska and the Russian far east. *Science of the Total Environment*, 396, 60-69.

NMML. (2009). *Crusie Report 2009 Killer Whale Survey: Aleutian Islands and Bering Sea*. (P. Wade & D. Durban, Eds.) (p. 11). Seattle, WA: National Marine Mammal Laboratory.

Noren, D. P., Rea, L. D., & Loughlin, T. R. (2009). A model to predict fasting capacities in utilization of body energy stores in weaned Steller sea lions (Eumetopias jubatus) during periods of reduced prey availability. *Canadian Journal of Zoology*, 87(10), 852-864.

Ortiz, I., & Logerwell, E. (2010). Evaluating the efficacy of trawl exclusion zones for preserving prey fields of Steller sea lions foraging on Atka mackerel. II. Site specific estimates to evaluate availability of Atka mackerel production for sea lion consumption. Seattle, WA: Alaska Fisheries Science Center.

Parker, P., Harvey, J. T., Maniscalco, J. M., & Atkinson, S. (2008). Pupping-site fidelity among individual Steller sea lions (*Eumetopias jubatus*) at Chiswell Island, Alaska. *Canadian Journal of Zoology*, 86, 826-833.

Peacock, E., derocher, A. E., Thiemann, G. W., & Stirling, I. (2011). Conservation and management of Canada's polar bears (*Ursus maritimus*) in a changing Arctic. *Canadian Journal of Zoology*, 89(5), 371-385.

Permyakov, P. A., & Burkanov, V. N. (2009). Interactions between killer whales (*Orcinus orca*) and Steller sea lions (*Eumetopias jubatus*) in the vicinity of Brat Chirpoeve Island, Kuril Islands. *Russian Journal of Marine Biology*, 35(3), 255-258.

Petrauskas, L., Atkinson, S., Gulland, F., Mellish, J., & Horning, M. (2008). Monitoring glucocorticoid response to rehabilitation and research procedures in California and Steller sea lions. *Journal of Experimental Zoology*, 309A, 73-82.

Phillips, C. D., Bickham, J. W., Patton, J. C., & Gelatt, T. S. (2009). Systematics of Steller sea lions (*Eumetopias jubatus*): subspecies recognition based on concordance of genetics and morphometrics. *Occasional Papers of the Museum of Texas Tech University*, 283.

Phillips, C. D., Gelatt, T. S., Patton, J. C., & Bickham, J. W. (2011). Phylogeography of Steller sea lions: relationships among climate change, effective population size, and genetic diversity. *Journal of Mammalogy*, 92(5), 1091-1104. doi:10.1644/10-MAMM-A-305.1

Phillips, C. D., Trujillo, R. G., Gelatt, T. S., Smolen, M. J., Matson, C. W., Honeycutt, R. L., Patton, J. C., et al. (2009). Assessing substitution patterns, rates and homoplasy at HVRI of Steller sea lions, *Eumetopias jubatus*. *Molecular Ecology*, 18(6), 3379-3393.

Raum-Suryan, K. L., Jemison, L. A., & PItcher, K. W. (2009). Entanglement of Steller sea lions (*Eumetopias jubatus*) in marine debris: identifying causes and finding solutions. *Marine Pollution Bulletin*, 58, 1487-1495.

Rea, L. D., M.Berman-Kowalewski, Rosen, D. A. S., & Trites, A. W. (2009). Seasonal differences in biochemical adaptation to fasting in juvenile and subadult Steller sea lions (*Eumetopias jubatus*). *Physiological and Biochemical Zoology*, 82(3), 236-247.

Ream, R. (2010). Steller sea lion food habits at St. George, Alaska.

Rehberg, M. J., Andrews, R. D., Swain, U. G., & Calkins, D. G. (2009). Foraging behavior of adult female Steller sea lions during the breeding season in Southeast Alaska. *Marine Mammal Science*, 25(3), 588-604.

- Rehberg, M. J., & Burns, J. M. (2008). Differences in diving and swimming behavior of pup and juvenile Steller sea lions (*Eumetopias jubatus*) in Alaska. *Canadian Journal of Zoology*, 86, 539-553.
- Rice, J. (2011). Managing fisheries well: delivering the promises of an ecosystem approach. *Fish and Fisheries*, 12(2), 209-231. doi:10.1111/j.1467-2979.2011.00416.x
- Richmond, J. P., & Zinn, S. A. (2009). Validation of heterologous radioimmunoassays (RIA) for Growth Hormone (GH) and Insulin-Like Growth Factor (IGF)-I in phocid, otariid, and cetacean species. *Aquatic Mammals*, 35(1), 19-31.
- Riemer, S. D., Wright, B. E., & Brown, R. F. (2011). Food habits of Steller sea lions (*Eumetopias jubatus*) off Oregon and northern California, 1986-2007. *Fishery Bulletin*, 109, 369-381.
- Robertson, B. C., & Chilvers, B. L. (2011). The population decline of the New Zealand sea lion *Phocarcos hookeri*: a review of possible causes. *Mammal Review*.
- Scholz, A. J., C. Steinback, Kruse, S. A., Mertens, M., & Silverman, H. (2011). Incorporation of spatial and economic analyses of human-use data in the design of marine protected areas. *Conservation Biology*, 25(3), 485-492.
- Sigler, M. F., Tollit, D. J., Vollenweider, J. J., Thedinga, J. F., Csepp, D. J., Womble, J. N., Wong, M. A., et al. (2009). Steller sea lion foraging response to seasonal changes in prey availability. *Marine Ecology Progress Series*, 388, 243-261.
- Stegall, V. K., Farley, S. D., Rea, L. D., PItcher, K. W., Rye, R. O., Kester, C. L., Stricker, C. A., et al. (2008). Discrimination of carbon and nitrogen isotopes from milk to serum and vibrissae in Alaska Steller sea lions (*Eumetopias jubatus*). *Canadian Journal of Zoology*, 86(1), 17-23.
- Stirling, I., McDonald, T. L., Richardson, E. S., Regehr, E. V., & Amstrup, S. C. (2011). Polar bear population status in the northern Beaufort Sea, Canada, 1971-2006. *Ecological Applications*, 21(3), 859-876.
- Sweeney, J. M., & Harvey, J. T. (2011). Diet estimation in California sea lions, *Zalophus californianus*. *Marine Mammal Science*, 27(4), E279-E301. doi:10.1111/j.1748-7692.2010.00459.x
- Taylor, B. L. (2009). *A Multistate Mark Recapture Analysis to Estimate Reproductive Rate in the Steller Sea Lion (Eumetopias jubatus), an Endangered Species*. Montana State University, Bozeman, MT.
- Thomton, J. D., Mellish, J. E., Hennen, D. R., & Horning, M. (2008). Juvenile Steller sea lion dive behavior following temporary captivity. *Endangered Species Research*, 4, 195-203.

- Todd, S. K., Holm, B., Rosen, D. A. S., & Tollit, D. J. (2010). Stable isotope signal homogeneity and differences between and within pinniped muscle and skin. *Marine Mammal Science*, 26(1), 176-185.
- Tollit, D. J., Schulze, A. D., Trites, A. W., Olesiuk, P. F., Crockford, S. J., Gelatt, T. S., Ream, R. R., et al. (2009). Development and application of DNA techniques for validating and improving pinniped diet estimates. *Ecological Applications*, 19(4), 889-905.
- Trates, A. W., & Calkins, D. G. (2008). Diets of mature male and female Steller sea lions (*Eumetopias jubatus*) differ and cannot be used as proxies for each other. *Aquatic Mammals*, 34(1), 25-34.
- Viviant, M., Trates, A. W., Rosen, D. A. S., Monestiez, P., & Guinet, C. (2009). Prey capture attempts can be detected in Steller sea lions and other marine predators using accelerometers. *Polar Biology*. doi:10.1007/s00300-009-0750-y
- Wade, P. R., & Durban, J. (2010). Abundance of mammal-eating ("transient" type) killer whales by defined Steller sea lion areas.
- Wade, P. R., Hoef, J. M. V., & DeMaster, D. P. (2009). Mammal-eating killer whales and their prey-trend data for pinnipeds and sea otters in the North Pacific Ocean do not support the sequential megafaunal collapse hypothesis. *Marine Mammal Science*, 25(3), 737-747.
- Waite, J. N. (2010). *Resource Partitioning Among Sympatric Steller Sea Lions and Northern Fur Seals on Lovushki Island, Russia*. University of Alaska Fairbanks, Fairbanks, AK.
- Waite, J. N., Burkanov, V. N., & Andrews, R. D. (2012). Prey competition between sympatric Steller sea lions (*Eumetopias jubatus*) and northern fur seals (*Callorhinus ursinus*) on Lovushki Island, Russia. *Canadian Journal of Zoology*, 90(1), 110-127.
- Waite, J. N., & Mellish, J. E. (2009). Inter- and intra-researcher variation in measurement of morphometrics on Steller sea lions (*Eumetopias jubatus*). *Polar Biology*, 32, 1221-1225.
- Waite, J. N., Waits, L. P., Bozza, M., & Andrews, R. D. (2011). Differentiating between Steller sea lion (*Eumetopias jubatus*) and northern fur seal (*Callorhinus ursinus*) scats through analysis of faecal DNA. *Molecular Ecology Resources*, 11, 166-170.
- Walker, K. A., Horning, M., Mellish, J. E., & Weary, D. M. (2009). Behavioural responses of juvenile Steller sea lions to abdominal surgery: developing an assessment of post-operative pain. *Applied Animal Behaviour Science*, 120, 201-207.
- Walker, K. A., Horning, M., Mellish, J.-A. E., & Weary, D. M. (2011). The effects of two analgesic regimes on behavior after abdominal surgery in Steller sea lions. *The Veterinary Journal*, 190, 160-164.

Walker, K. A., Mellish, J. E., & Weary, D. M. (2009). Behavioural responses of juvenile Steller sea lions to hot-iron branding. *Applied Animal Behaviour Science, in press*.

Walker, K. A., Mellish, J. E., & Weary, D. M. (2011). Effects of hot-iron branding on heart rate, breathing rate and behaviour of anaesthetised Steller sea lions. *Veterinary Record, 169*, 363. doi:10.1136/vr.d4911

Walker, K. A., Trites, A. W., Haulena, M., & Weary, D. M. (2011). A review of the effects of different marking and tagging techniques on marine mammals. *Wildlife Research*. doi:10.1071/WR10177

Wallmo, K. (2011). Threatened and Endangered Species Valuation: Literature Review and Assessment.

Wallmo, K., & Lew, D. K. (2011). Valuing improvements to threatened and endangered marine species: an application of stated preference choice experiments. *Journal of Environmental Management, In Press*.

Weingartner, T. J., Eisner, L., Ecker, G. L., & Danielson, S. (2009). Southeast Alaska: oceanographic habitats and linkages. *Journal of Biogeography, 36*, 387-400.

Wilson, K., Fritz, L., Kunisch, E., Chumbley, K., & Johnson, D. (2011). Effects of research disturbance on the behavior and abundance of Steller sea lions (*Eumetopias jubatus*) at two rookeries in Alaska. *Marine Mammal Science, In Press*.

Wilson, K., Fritz, L., Kunisch, E., Chumbley, K., & Johnson, D. (2012). Effects of research disturbance on the behavior and abundance of Steller sea lions (*Eumetopias jubatus*) at two rookeries in Alaska. *Marine Mammal Science, 28*(1), E58-E74. doi:10.1111/j.1748-7692.2011.00485.x

Winter, A., Foy, R. J., & Wynne, K. (2009). Seasonal differences in prey availability around a Steller sea lion haulout and rookery in the Gulf of Alaska. *Aquatic Mammals, 35*(2), 145-162.

Wise, S. S., Shaffiey, F., LaCerte, C., Goertz, C. E. C., Dunn, J. L., Gulland, F. M. D., Aboueissa, A., et al. (2009). Particulate and solvent hexavalent chromium are cytotoxic and genotoxic to Steller sea lion lung cells. *Aquatic Toxicology, 91*, 329-335.

Wolf, N., & Mangel, M. (2008). Multiple hypothesis testing and the declining-population paradigm in Steller sea lions. *Ecological Applications, 18*(8), 1932-1955.

Womble, J. N., Sigler, M. F., & Wilson, M. F. (2009). Linking seasonal distribution patterns with prey availability in a central-place forager, the Steller sea lion. *Journal of Biogeography, 36*, 439-451.

York, A. E., Thomason, J. R., Sinclair, E. H., & Hobson, K. A. (2008). Stable carbon and nitrogen isotope values in teeth of Steller sea lions: age of weaning and the impact of the 1975-1976 regime shift in the North Pacific Ocean. *Canadian Journal of Zoology*, 86, 33-44.

Young, B. L., Rosen, D. A. S., Haulena, M., Hindle, A. G., & Trites, A. W. (2011). Environment and feeding change the ability of heart rate to predict metabolism in resting Steller sea lions (*Eumetopias jubatus*). *Journal of Comparative Physiology B*, 121, 105-116.

Young, B. L., Rosen, D. A. S., Hindle, A. G., Haulena, M., & Trites, A. W. (2011). Dive behaviour impacts the ability of heart rate to predict oxygen consumption in Steller sea lions (*Eumetopias jubatus*) foraging at depth. *The Journal of Experimental Biology*, 214, 2267-2275.

Zeller, D., Booth, S., Pakhomov, E., Swartz, W., & Pauly, D. (2011). Arctic fisheries catches in Russia, USA, and Canada: baselines for neglected ecosystems. *Polar Biology*, 34, 955-973.